



Product Technical File

Something Different Wholesale Ltd, Upper Fforest Way, Enterprise Park, Swansea,
SA6 8PJ

EU RP: Something Different Wholesale Ltd, Utrechtseweg 341, 3818 EL Amersfoort,
Netherlands

Product Code

FI_51227

Witches Brew Cauldron Mug

Barcode: 5055581697410





Product Description

This brilliant black mug is designed to look like a cauldron and features the words 'Witches Brew'. The mug will come in a matching cardboard box. This product is exclusive to Something Different and is part of our Black Magic collection. Suitable for microwave or dishwasher use.

The product is manufactured in China

Product Dimensions:

H: 10cm x W: 13cm x D: 10cm

Product Weight:

350g

Product Materials :

New Bone China

Packaging Materials:

Colour Cardboard Box

Packaging Dimensions:

H: 12cm x W: 11cm x D: 10cm

Packaging Information:

Colour Cardboard Box

Packed Weight:

400g

Declaration of Conformity

Something Different Wholesale Ltd, Upper Fforest Way, Enterprise Park, Swansea, SA6 8PJ

Contact Person– Anthony David

Email – customercare@somethingdifferentwholesale.co.uk

Phone Number – 01792 940288



Product Name: Witches Brew Cauldron Mug

Model: Mugs & Cups

Product Code: FI_51227

We at SomethingDifferent Wholesale LTD recognise that the product mentioned in this document conforms to UK standards and regulations. This product upholds the UK specifications attached to it.

Authorising Name: Anthony David

Company Name: Something Different Wholesale LTD

Authorising Signature:



Date: 22.11.2024

Review Date:22.10.2025

EU Declaration of Conformity

Name- Something Different Wholesale Ltd

Address- Something Different Wholesale Ltd, Utrechtseweg 341, 3818 EL Amersfoort,
Netherlands

Contact person- Anthony David

Email – EU@somethingdifferentwholesale.co.uk

Phone Number – +441792 940288



Product Name: Witches Brew Cauldron Mug

Model: Mugs & Cups

Product Code: FI_51227

We at Something Different Wholesale LTD recognise that the product mentioned in this document conforms to EU standards and regulations. This product upholds the EU specifications attached to it.

Authorising Name: Anthony David

Company Name: Something Different Wholesale LTD


Authorising Signature:



Date: 22.11.2024

Review Date: 22.10.2025

Product Label



Directions for Use

This product has been designed and manufactured by Something Different Wholesale LTD . Our ceramic drinking products have been designed to be functional, fun and attractive to our audience. Products are supplied with declarations of conformity for sale, ensure the materials we source are safe for human use. Products are tested in accordance to REACH regulation (EC 1907/2006) ,Food Contact Materials: Regulation EC 1935/2004, the Directive 84/500/EC, amendment Directive 2005/31/EC to ensure the material integrity and safety of materials. Each item is delivered to the end user with care instructions, wash before use, Food Safe, Dishwasher Safe, Microwave Save to ensure product longevity.

Hazard	Who might be harmed	Existing measure to control risk	Risk level
Allergies & Food Intolerance	General public	Testing in accordance with; REACH regulation (EC 1907/2006), Food Contact Materials: Regulation EC 1935/2004, the Directive 84/500/EC, amendment Directive 2005/31/EC	Low
Food Contamination	General Public	Testing in accordance with; REACH regulation (EC 1907/2006), Food Contact Materials: Regulation EC 1935/2004, the Directive 84/500/EC, amendment Directive 2005/31/EC	Low



Prism: Product Risk Assessment Methodology

Risk assessment background and summary of outcomes			
Assessor name:	Stacey Gannon	Organisation:	Something Different Wholesale LTD
Date of initial assessment:	21 March 2025	Assessment reviewed by:	
Date of last update:		Assessment review date:	
Product brand:		Product category:	Decorative articles
Product name/model:	FI_51227	Product subcategory:	Witches Brew Ceramic Cauldron Mug
Other identifiers (such as batch reference):	5055581697410	Name of business that placed the product on the market:	<i>Something Different Wholesale LTD</i>
Applicable product safety legislation and standards:		Have images been captured of the product?:	Yes
Who is the product aimed at?:	General Public	Number of hazards identified:	3
Could unintended or non-users be at risk?	Yes	Can the product be presumed to present a serious risk without a quantified risk assessment?:	No
Single product item risk level:	Low risk	Has the risk outcome been revised to reflect there being multiple hazards?:	No, the hazard creating the greatest risk sufficiently reflects the overall product risk
Estimated number of product items in use:		Overall level of risk for product:	Low risk
Sensitivity analysis outcome:	Sensitivity analysis not performed	Uncertainty level:	Low uncertainty
Factors related to the nature of the risk: outcome:	There are no factors other than the risk level to take account of in relation to risk management decisions	Risk tolerability outcome:	Risk is tolerable

Declaration of Conformity

Issuer/Manufacturer:

SHENZHEN ZHAN PENG XIANG INDUSTRIAL CO.,LTD.
Address: 34AB,Block B, Reith International, 1002 Yanhe north road,
Luohu District, Shenzhen,China

Importer:

SOMETHING DIFFERENT WHOLESALE LTD
Address: UPPER FFOREST WAY ENTERPRISE PARK
SWANSEA SA6 8PJ UK

Product:

Name: Ceramic mugs

Model:

SZ_60925; BJ_56424; PL_22023; DC_06131; GD_67225; KD_81125; KD_81225;
KD_81325; KD_81425; KD_81525; KD_81625; FI_51227; FI_58438; LC_38026

Material: New bone china

Time and temperature: 7 hours and 1260°C

Country of origin: China

Information about the test methods:

With reference to European Directive 84/500/EEC and its amendment 2005/31/EC.

With reference to DIN10955:2004, direct contact method. No.of panelist:6

The products can be contacted with all kind of food. We declare that the products described above, to which this declaration of conformity refers to, is in conformity with the essential requirements of the following legislation:

-European Council Directive 84/500/EEC & its amendment 2005/31/EC–Leachable Lead and Cadmium

-Regulation(EC)No 1935/2004 of the European Parliament and of the council of 27 October 2004-Sensorial Examination of food and taste test

Product photo:



Signed for and on behalf of

For and on behalf of
SHENZHEN ZHAN PENG XIANG INDUSTRIAL CO., LTD.
深圳市展鹏翔实业有限公司

Jack Zhang
Authorized Signature(s)

Date: 10th Dec, 2024



Test Report

No.T52010320074TC

Date: DEC 07, 2020

Page 1 of 7

PACIFIC TRADING
12037 CLARK STREET,ARCADIA CALIFORNIA 91006 USA

The following samples were submitted and identified by/on behalf of the client as:

CAULDRON MUG

Item No. : 14031/13846/14030
 Importer : PACIFIC TRADING
 Manufacturer : SHENZHEN ZHAN PENG XIANG INDUSTRIAL CO.,LTD
 Country of Origin : CHINA
 Country of Destination : AMERICA
 Requested Age Grading : ADULT

Sample Receiving Date : DEC 01, 2020
 Testing Period : DEC 01, 2020 TO DEC 04, 2020



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Testing Technology Services Co., Ltd.
 Shenzhen Branch Testing Center Hardlines

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
 中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report

No. T52010320074TC

Date: DEC 07, 2020

Page 2 of 7

Test Requested		Conclusion
1.	California Proposition 65 - extractable Lead and Cadmium in internal surface in the specified specimen(s) as listed	PASS
2.	California Proposition 65 - extractable Lead and Cadmium from the lip and rim area in the specified specimen(s) as listed	PASS
3.	United States Food and Drug Administration (FDA) Compliance Policy Guides (CPG) Sec. 545.400: Pottery (Ceramics); Import and Domestic – Cadmium Contamination (7117.06) and Sec. 545.450: Pottery (Ceramics); Import and Domestic – Lead Contamination (7117.07) - extractable Lead and Cadmium in the specified specimen(s) as listed	PASS
4.	Society of Glass and Ceramic Decorator's (SGCD) Guide to Heavy Metal Limits and the Coalition for Safe Ceramicware (CSC) - leachable Lead and Cadmium from the lip and rim area in the specified specimen(s) as listed	PASS

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
SGS-CSTC Standards Technical
Services Co., Ltd. Shenzhen Branch Testing Center

scan to see the report



T52010320074TC

Qu Ping, Kiky
Dept. Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
 中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report

No. T52010320074TC

Date: DEC 07, 2020

Page 3 of 7

Results:

1. US, State of California Proposition 65-Extractable Lead and Cadmium Content in Internal Surface

Method: With reference to ASTM C738-1994 (reapproved 2016)
Analysis was performed by Atomic Absorption Spectrometry (AAS)

Internal Surface (Cup and Mugs)

Specimen Description: 1. Glazed black ceramic mug w/ white writing					
Trial No.	Depth (mm)	Diameter (mm)	Extract Volume (ml)	Lead (mcg/ml)	Cadmium (mcg/ml)
1	90	84	410	< 0.050	< 0.020
2	90	84	410	< 0.050	< 0.020
3	90	84	410	< 0.050	< 0.020
4	90	84	410	< 0.050	< 0.020
5	90	84	410	< 0.050	< 0.020
6	90	84	410	< 0.050	< 0.020
7	90	84	410	< 0.050	< 0.020
8	90	84	410	< 0.050	< 0.020
9	90	84	410	< 0.050	< 0.020
10	90	84	410	< 0.050	< 0.020
11	90	84	410	< 0.050	< 0.020
12	90	84	410	< 0.050	< 0.020
Average				< 0.050	< 0.020
California Proposition 65 Permissible Limit				0.1	0.189

- Note:
- mcg/ml = microgram per milliliter = ppm
 - mm = millimeter
 - ml = milliliter
 - < = less than



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Inspection & Testing Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

2. US, State of California Proposition 65 - Extractable Lead and Cadmium Content at Rim Surface

Method: With reference to ASTM C927-80 (Reapproved 2019)
 Analysis was performed by Atomic Absorption Spectrometer (AAS)

Specimen No.1	Depth (mm)	Diameter (mm)	Internal Volume(ml)	Extract Volume(ml)	Lead (mcg/ml)	Cadmium (mcg/ml)
Trial 1	90	84	410	150	< 0.10	< 0.02
Trial 2	90	84	410	150	< 0.10	< 0.02
Trial 3	90	84	410	150	< 0.10	< 0.02
Trial 4	90	84	410	150	< 0.10	< 0.02
Trial 5	90	84	410	150	< 0.10	< 0.02
Trial 6	90	84	410	150	< 0.10	< 0.02
California Proposition 65 Permissible Limit:					0.5	2.0

Specimen Description:

1. Glazed black ceramic mug w/ white writing

- Note:
- ml = milliliter
 - mm = millimeter
 - mcg/ml = microgram per milliliter = ppm
 - < = less than



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
 中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

3. FDA CPG7117.07 (12/12/95) and 7117.06 (12/12/95)-Extractable Lead and Cadmium Content

Method: With reference to ASTM C738 - 1994 (reapproved 2016)
 Analysis was performed by Atomic Absorption Spectrometer (AAS)

Internal Surface (Cup and Mugs)

Specimen Description: 1. Glazed black ceramic mug w/ white writing					
Trial No.	Depth (mm)	Diameter (mm)	Extract Volume (ml)	Lead (mcg/ml)	Cadmium (mcg/ml)
1	90	84	410	< 0.050	< 0.020
2	90	84	410	< 0.050	< 0.020
3	90	84	410	< 0.050	< 0.020
4	90	84	410	< 0.050	< 0.020
5	90	84	410	< 0.050	< 0.020
6	90	84	410	< 0.050	< 0.020
FDA Permissible Limit (Any one of 6 specimens):				0.5	0.5

- Note:
- mcg/ml = microgram per milliliter = ppm
 - mm = millimeter
 - ml = milliliter
 - < = less than



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
 中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

4. Requirement of SGCD and CSC- Leachable Lead and Cadmium Content at Rim Surface

Method: With reference to ASTM C927-80 (Reapproved 2019)
 Analysis was performed by Atomic Absorption Spectrometer (AAS)

Specimen Description: 1. Glazed black ceramic mug w/ white writing						
Trial No.	Depth (mm)	Diameter (mm)	Internal Volume (ml)	Extract Volume (ml)	Lead (mcg/ml)	Cadmium (mcg/ml)
1	90	84	410	150	< 0.10	< 0.02
2	90	84	410	150	< 0.10	< 0.02
3	90	84	410	150	< 0.10	< 0.02
4	90	84	410	150	< 0.10	< 0.02
5	90	84	410	150	< 0.10	< 0.02
6	90	84	410	150	< 0.10	< 0.02
Limit of SGCD and CSC#:					4.0	0.4

- Note:
- mcg/ml = microgram per milliliter = ppm
 - mm = millimeter
 - ml = milliliter
 - < = less than
 - #The requirements were set by SGCD (Society of Glass and Ceramic Glass) and the Coalition for Safe Ceramic ware (CSC) effective from April 1, 1999.

Remark 1: Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.

Remark 2: The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012)- When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U₉₅. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (T_U):

Pass - when the measurement result is below T_U-U₉₅

Fail - when the measurement result is above T_U+U₉₅

Inconclusive - when the measurement result is falling in guard band [T_U-U₉₅, T_U+U₉₅]

For Lower Tolerance Limit (T_L):

Pass - when the measurement result is above T_L+U₉₅

Fail - when the measurement result is below T_L-U₉₅

Inconclusive - when the measurement result is falling in guard band [T_L-U₉₅, T_L+U₉₅]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
 中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Sample Photo:



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Headlines

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com